ELSEVIER

Soil Dynamics and Earthquake Engineering 24 (2004) I–V

SOIL DYNAMICS AND EARTHQUAKE ENGINEERING

www.elsevier.com/locate/soildyn

Contents of Volume 24

Number 1

Stochastic strong ground motion simulation of intermediate depth earthquakes: the cases of the 30 May 1990 Vrancea (Romania) and of the 22 January 2002 Karpathos island (Greece) earthquakes 1
C. A. BENETATOS & A. A. KIRATZI (Greece)

Rockburst induced ground motion—a comparative study 11
Z. ZEMBATY (Poland)

Stresses and excess pore pressure induced in saturated poroelastic halfspace by moving line load. 25
B. JIN, Z. Q. YUE & L. G. THAM (China)

Liapunov instability of the hypoplastic model for soils 35
A. NIEMUNIS & T. TRIANTAFYLLIDIS (Germany)

Determination of S-wave velocity structure using microtremors and spac method applied in Thessaloniki (Greece). 49
P. APOSTOLIDIS, D. RAPTAKIS, Z. ROUMELIOTI & K. PITILAKIS (Greece)

Field vibration mitigation by honeycomb WIB for pile foundations of a high-speed train viaduct 69
H. TAKEMIYA (Japan)

Number 2

Maximum distance and minimum energy to initiate liquefaction in water saturated sands 89
M. D. TRIFUNAC & M. I. TODOROVSKA (USA)

Nonlinear shear mass participation factor (r_d) for cyclic shear stress ratio evaluation . . 103
K. O. CETIN (Turkey) & R. B. SEED (USA)

An empirical attenuation relationship for Northwestern Turkey ground motion using a random effects approach. 115
C. ÖZBEY, A. SARI, L. MANUEL (USA), M. ERDIK & Y. FAHJAN (Turkey)

Influence of a cyclic and dynamic loading history on dynamic properties of dry sand, part I: cyclic and dynamic torsional prestraining 127
T. WICHTMANN & TH. TRIANTAFYLLIDIS (Germany)

Generation of probabilistic displacement response spectra for displacement-based design 149
J. GUAN (Singapore), H. HAO (Australia) & Y. LU (Singapore)

The direct boundary element method: 2D site effects assessment on laterally varying layered media (methodology) 167
S. ÁLVAREZ-RUBIO (Spain), F. J. SÁNCHEZ-SESMA (Mexico), J. J. BENITO & E. ALARCÓN (Spain)

Number 3

Effect of fines content on steady-state strength of mixed and layered samples of a sand 181
S. A. NAEINI & M. H. BAZIAR (Iran)

Seismically induced landslide at Degirmendere Nose, Izmit Bay during Kocaeli (Izmit)-Turkey earthquake 189
K. O. CETIN, N. ISIK & B. UNUTMAZ (Turkey)

PII: S0267-7261(04)00149-6

Estimating site-specific strong earthquake motions 199
F. HEUZE, R. ARCHULETA, F. BONILLA, S. DAY, M. DOROUDIAN, A. ELGAMAL, S. GONZALES, M. HOEHLER, T. LAI, D. LAVALLEE, B. LAWRENCE, P.-C. LIU, A. MARTIN, L. MATESIC, B. MINSTER, R. MELLORS, D. OGLESBY, S. PARK, M. RIEMER, J. STEIDL, F. VERNON, M. VUCETIC, J. WAGONER & Z. YANG (USA)

1971 San Fernando and 1994 Northridge, California, earthquakes: did the zones with severely damaged buildings reoccur? 225
M. D. TRIFUNAC & M. I. TODOROVSKA (USA)

Spatial variability effects of ground motions on cable-stayed bridges 241
K. SOYLUK & A. A. DUMANOGLU (Turkey)

A practical numerical method for large strain liquefaction analysis of saturated soils . . 251
Y. DI & T. SATO (Japan)

Two-dimensional nonlinear site response analysis of Adapazarı plain and predictions inferred from aftershocks of the Kocaeli earthquake of 17 August 1999 261
K. BEYEN & M. ERDIK (Turkey)

Non-singular time domain BEM with applications to 3D inertial soil–structure interaction 281
D. L. KARABALIS (Greece)

Number 4

Piling in fine and medium sand—a case study of ground and pile vibration 295
T. S. THANDAVAMOORTHY (India)

Centrifuge modeling of loose fill embankment subjected to uni-axial and bi-axial earthquakes 305
C. W. W. NG, X. S. LI, P. A. VAN LAAK & D. Y. J. HOU (China)

In-plane and anti-plane strong shaking of soil systems and structures 319
G. GUDEHUS, R. O. CUDMANI, A. B. LIBREROS-BERTINI & M. M. BÜHLER (Germany)

Three-dimensional nonlinear analysis for seismic soil–pile-structure interaction 343
B. K. MAHESHWARI, K. Z. TRUMAN (USA), M. H. EL NAGGAR (Canada) & P. L. GOULD (USA)

Response of fixed offshore platforms to wave and current loading including soil–structure interaction 357
Y. E. MOSTAFA (Canada) & M. H. EL NAGGAR (Canada)

Number 5

Evaluation of dynamic eccentricity by considering soil–structure interaction: a proposal for seismic design codes. 369
H. SHAKIB (Iran)

Dynamic soil–structure interaction effects on the seismic response of asymmetric buildings 379
H. SHAKIB & A. FULADGAR (Iran)

On arrangement of source and receivers in SASW testing 389
L. CHEN (China), J. ZHU (USA), X. YAN & C. SONG (China)

Interactive behavior of soil–pile-superstructure system in transient state to liquefaction by means of large shake table tests 397
S. YAO, K. KOBAYASHI, N. YOSHIDA & H. MATSUO (Japan)

Effect of soil stabilization on audible band railway ground vibration 411
R. HILDEBRAND (Sweden)

Number 6

Dynamic response of foundations resting on layered soil by cone model 425
P. K. PRADHAN, D. K. BAIDYA & D. P. GHOSH (India)

Risk analysis of industrial structures under extreme transient loads 435
D. G. TALASLIDIS, G. D. MANOLIS, E. PARASKEVOPOULOS, C. PANAGIOTOPOULOS, N. PELEKASIS & J. A. TSAMOPOULOS (Greece)

Steady-state response of a stratified half-space subjected to a horizontal arbitrary buried uniform load applied at a circular area 449
A. V. VOSTROUKHOV (The Netherlands), S. N. VERICHEV (Russia), A. W. M. KOK & C. ESVELD (The Netherlands)

Shear modulus and damping ratio of grouted sand 461
E. DELFOSSE-RIBAY, I. DJERAN-MAIGRE, R. CABRILLAC & D. GOUVENOT (France)

Three-dimensional finite element analysis of the seismic behavior of inclined micropiles 473
M. SADEK & S. ISAM (France)

Structure, soil–structure response and effects of damage based on observations of horizontal-to-vertical spectral ratios of microtremors 485
M. R. GALLIPOLI, M. MUCCIARELLI (Italy), R. R. CASTRO (Mexico), G. MONACHESI (Italy) & P. CONTRI (Austria)

Number 7

Undrained cyclic shear and deformation behavior of silt–clay mixtures of Adapazarí, Turkey 497
M. T. YILMAZ, O. PEKCAN & B. S. BAKIR (Turkey)

Attenuation relations of Arias intensity based on the Chi-Chi Taiwan earthquake data . . 509
H. HWANG, C. K. LIN (USA), Y. T. YEH, S. N. CHENG & K. C. CHEN (Taiwan, ROC)

Correlations of blast damage to ground surface targets with explosion seismic effect . . 519
Q. ZHANG, D.-C. LIN, C.-H. BAI & Y.-Y. GUO (China)

Determination of first mode ground period and site-dependent design response spectrum for Taiwan High Speed Rail 527
J.-F. CHAI, T.-J. TENG & C.-H. LOH (Taiwan, ROC)

Seismic behaviour of flexible retaining systems subjected to short-duration moderately strong excitation 537
G. GAZETAS, P. N. PSARROPOULOS, I. ANASTASOPOULOS & N. GEROLYMOS (Greece)

Number 8

Seismic soil–pile interaction in liquefiable soil 551
A. KLAR, R. BAKER & S. FRYDMAN (Israel)

Seismic analysis of infinite pile groups in liquefiable soil 565
A. KLAR, S. FRYDMAN & R. BAKER (Israel)

Time segmented least squares identification of base isolated buildings 577
S. NAGARAJAIAH & Z. LI (USA)

Damaging potential of low-magnitude near-field earthquakes on low-rise shear walls. . 587
M. BRUN, J. M. REYNOUARD, L. JEZEQUEL & N. ILE (France)

Earthquake hazard in Marmara Region, Turkey 605
M. ERDIK, M. DEMIRCIOGLU, K. SESETYAN, E. DURUKAL & B. SIYAHI (Turkey)

Numbers 9–10

Editorial 633
C. H. JUANG (USA)

US–Taiwan workshop on soil liquefaction: overview and research needs 635
S. L. KRAMER, C. H. JUANG (USA) & A.-B. HUANG (Taiwan, ROC)

Lessons learned and need for instrumented liquefaction sites 639
T. L. YOUD, J. H. STEIDL & R. L. NIGBOR (USA)

Documentation of soil conditions at liquefaction and non-liquefaction sites from 1999 Chi–Chi (Taiwan) earthquake 647
D. B. CHU, J. P. STEWART (USA), S. LEE, J. S. TSAI, P. S. LIN, B. L. CHU (Taiwan, ROC), R. B. SEED (USA), S. C. HSU, M. S. YU & M. C. H. WANG (Taiwan, ROC)

Evaluation of soil liquefaction in the Chi-Chi, Taiwan earthquake using CPT 659
C.-S. KU, D.-H. LEE (Taiwan) & J.-H. WU (USA)

Characterization of liquefaction resistance in gravelly soil: large hammer penetration test and shear wave velocity approach 675
P.-S. LIN, C.-W. CHANG & W.-J. CHANG (Taiwan, ROC)

The use of MASW method in the assessment of soil liquefaction potential 689
C.-P. LIN, C.-C. CHANG & T.-S. CHANG (Taiwan, ROC)

Coastal failures during the 1999 Kocaeli earthquake in Turkey 699
E. M. RATHJE, I. KARATAS, S. G. WRIGHT & J. BACHHUBER (USA)

Comparing liquefaction evaluation methods using penetration-V_S relationships 713
R. D. ANDRUS, P. PIRATHEEPAN, B. S. ELLIS, J. ZHANG & C. H. JUANG (USA)

Direct evaluation of effectiveness of prefabricated vertical drains in liquefiable sand . . 723
W.-J. CHANG (Taiwan, ROC), E. M. RATHJE, K. H. STOKOE II & B. R. COX (USA)

A laboratory study on the undrained strength of a silty sand from Central Western Taiwan 733
Y.-T. HUANG, A.-B. HUANG, Y.-C. KUO & M.-D. TSAI (Taiwan, ROC)

Definition of fines and liquefaction resistance of Maoluo River soil 745
T.-S. UENG, C.-W. SUN & C.-W. CHEN (Taiwan)

Effect of depositional method on the undrained behavior and microstructure of sand with silt 751
J. A. YAMAMURO & F. M. WOOD (USA)

A practical reliability-based method for assessing soil liquefaction potential. 761
J. H. HWANG, C. W. YANG & D. S. JUANG (Taiwan, ROC)

Characterization of the uncertainty of the Robertson and Wride model for liquefaction potential evaluation 771
C. H. JUANG, S. H. YANG, H. YUAN & E. H. KHOR (USA)

Number 11

Undrained cyclic shear response evaluation of sand based on undrained monotonic ring shear tests 781
A. C. TRANDAFIR & K. SASSA (Japan)

Influence of a cyclic and dynamic loading history on dynamic properties of dry sand, part II: cyclic axial preloading 789
T. WICHTMANN & TH. TRIANTAFYLLIDIS (Germany)

Data generation for shear modulus and damping ratio in reinforced sands using adaptive neuro-fuzzy inference system 805
S. AKBULUT, A. S. HASILOGLU (Turkey) & S. PAMUKCU (USA)

Characterization of forward-directivity ground motions in the near-fault region 815
J. D. BRAY & A. RODRIGUEZ-MAREK (USA)

Capacity evaluation of statnamic tested long piles 829
S.-S. LIN, J. L. HONG, W. F. LEE & Y. H. CHANG (Taiwan, ROC)

Seismic response of base-isolated liquid storage tanks considering fluid–structure–soil interaction in time domain. 839
K. H. CHO, M. K. KIM, Y. M. LIM & S. Y. CHO (South Korea)

Evaluation of force components acting on gravity type quay walls during earthquakes . 853
S.-R. KIM, O.-S. KWON & M.-M. KIM (South Korea)

Assessment of soil liquefaction incorporating earthquake characteristics 867
D. S. LIYANAPATHIRANA & H. G. POULOS (Australia)

Multi-station analysis of surface wave dispersion 877
C.-P. Lin & T.-S. Chang (Tiwan, ROC)

Analysis of parameters of ground vibration produced from bench blasting at a limestone quarry 887
A. KAHRIMAN (Trukey)

Number 12

Response of low-rise buildings under seismic ground excitation incorporating soil–structure interaction 893
S. C. DUTTA, K. BHATTACHARYA & R. ROY (India)

Time probabilistic evaluation of seismically induced landslide hazard in Irpinia (Southern Italy) 915
V. D. GAUDIO & J. WASOWSKI (Italy)

Accounting for site effect in probabilistic assessment of seismic hazard for Romania and Bucharest: a case of deep seismicity in Vrancea zone. 929
V. SOKOLOV, K.-P. BONJER & F. WENZEL (Germany)

A semi-analytical approach for analyzing ground vibrations caused by trains moving over elevated bridges 949
Y.-S. WU & Y.-B. YANG (Tiwan, ROC)

Cones to model foundation vibrations: incompressible soil and axi-symmetric embedment of arbitrary shape. 963
J. P. WOLF (Switzerland) & A. J. DEEKS (Australia)

Seepage driving effect on deformations of San Fernando dams 979
X. S. LI & H. MING (China)

Analysis of train-induced vibrations and vibration reduction schemes above and below critical Rayleigh speeds by finite element method 993
S.-H. JU & H.-T. LIN (Tiwan, ROC)

Dynamic response of partially sealed circular tunnel in viscoelastic saturated soil . . . 1003
K.-H. XIE, G.-B. LIU & Z.-Y. SHI (China)

Assessment of predictions of the response of the Hualien containment model during forced vibration tests 1013
J. E. LUCO (USA) & F. C. P. DE BARROS (Brazil)